

**Prevalence of Mental Health Problems in Kentucky      Region:    15    Pg. 2      Bluegrass Regional Mental Health & Mental Retardation Board**

The prevalence of diagnosable mental disorders is just over 20% across all age groups for all disorders each year. This estimate is based on the combined prevalence of disorders seen throughout the population. In many cases disorders co-exist in individuals.

Primary Source: 1999 Mental Health Report of the Surgeon General with calculations based on 2000 Census.

\*\*Source: 1998 Kentucky Household Study, Univ. of Ky Research and Data Management Center

Population of Region, each county, and number affected per disorder

		<b>Region</b>	<b>Jessamine</b>	<b>Lincoln</b>	<b>Madison</b>	<b>Mercer</b>	<b>Nicholas</b>	<b>Powell</b>	<b>Scott</b>	<b>Woodford</b>
<b>Prevalence By Disorder</b>		<b>686,003</b>	<b>39,041</b>	<b>23,361</b>	<b>70,872</b>	<b>20,817</b>	<b>6,813</b>	<b>13,237</b>	<b>33,061</b>	<b>23,208</b>
Any Anxiety Disorder	16.4%	112,504	6,403	3,831	11,623	3,414	1,117	2,171	5,422	3,806
Any Mood Disorder	7.1%	48,706	2,772	1,659	5,032	1,478	484	940	2,347	1,648
Major Depressive Episode	6.5%	44,590	2,538	1,518	4,607	1,353	443	860	2,149	1,509
Bipolar	1.7%	11,662	664	397	1,205	354	116	225	562	395
Schizophrenia	1.3%	8,918	508	304	921	271	89	172	430	302
Substance Abuse **Source	7.9%	54,194	3,084	1,846	5,599	1,645	538	1,046	2,612	1,833
Mental or Addictive Disorder	28%	192,081	10,931	6,541	19,844	5,829	1,908	3,706	9,257	6,498

**Older Adult + 55**

		<b>Region</b>	<b>Jessamine</b>	<b>Lincoln</b>	<b>Madison</b>	<b>Mercer</b>	<b>Nicholas</b>	<b>Powell</b>	<b>Scott</b>	<b>Woodford</b>
<b>Prevalence by Disorder</b>		<b>134,440</b>	<b>6,778</b>	<b>5,439</b>	<b>12,586</b>	<b>5,206</b>	<b>1,759</b>	<b>2,674</b>	<b>5,403</b>	<b>4,621</b>
Any Anxiety Disorder	11.4%	15,326	773	620	1,435	593	201	305	616	527
Any Mood Disorder	4.4%	5,915	298	239	554	229	77	118	238	203
Major Depressive Episode	3.8%	5,109	258	207	478	198	67	102	205	176
Bipolar	0.3%	403	20	16	38	16	5	8	16	14
Alcohol Abuse/Depend men 65+	0.3%	403	20	16	38	16	5	8	16	14
Alch Abuse/Depend women 65+	1.2%	1,613	81	65	151	62	21	32	65	55
Schizophrenia	0.6%	807	41	33	76	31	11	16	32	28
Severe Cognitive Impairment	6.6%	8,873	447	359	831	344	116	176	357	305

**Child and Adolescent 0-17**

		<b>Region</b>	<b>Jessamine</b>	<b>Lincoln</b>	<b>Madison</b>	<b>Mercer</b>	<b>Nicholas</b>	<b>Powell</b>	<b>Scott</b>	<b>Woodford</b>
<b>Prevelance by Disorder</b>		<b>159,121</b>	<b>10,300</b>	<b>5,997</b>	<b>15,512</b>	<b>5,080</b>	<b>1,608</b>	<b>3,524</b>	<b>8,685</b>	<b>5,891</b>
Anxiety Disorders	13%	20,686	1,339	780	2,017	660	209	458	1,129	766
Disruptive Disorders	10.3%	16,389	1,061	618	1,598	523	166	363	895	607
Mood Disorders	6.2%	9,866	639	372	962	315	100	218	538	365
ADHD (school age 5 - 17)	4%	6,365	412	240	620	203	64	141	347	236
Substance Use Disorders	2%	3,182	206	120	310	102	32	70	174	118
Mental or Addictive Disorder	21%	33,415	2,142	1,247	3,226	1,057	334	733	1,806	1,225